

APPENDICES







CENTRAL COAST FLORA

FLORA OF SANDSTONE HEATH AND WOODLANDS

During late Winter, Bush tracks in the Sandstone country start to blaze with colour as heath plants start their early flowering, which continues through Spring. In Brisbane Waters NP, Girrakool, Warrah Reserve and Bouddi NP, along the coastal walks and on the Somersby Plateau, many of these can be seen flowering from early July:

<i>Acacia longifolia</i>	Sydney Wattle
<i>Acacia decurrens</i>	Green Wattle
<i>Acacia suaveolens</i>	Sweet Wattle
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Dillwynia floribunda</i>	Yellow Pea
<i>Dillwynia retorta</i>	"Bacon & Eggs"
<i>Pultenaea rosmarinifolia</i>	Yellow Pea
<i>Gompholobium grandiflorum</i>	Golden Glory Pea
<i>Hovea linearis</i>	Purple Pea
<i>Hibbertia bracteata</i>	Yellow Guinea Flower
<i>Doryanthes excelsa</i>	Gynea Lily
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris longiflora</i>	Fuchsia Heath
<i>Styphelia tubiflora</i>	Red Five-Corners
<i>Woolisia pungens</i>	Snow Wreath

At any other times of the year, bush tracks can still reveal a wealth of interesting plants. Look for the following plants - (* indicates particularly interesting or Rare and threatened species).

Trees

<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple A
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Ceratopetalum gummiferum</i>	Christmas Bush
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus pilularis</i>	Blackbutt
<i>Eucalyptus piperita</i>	Sydney Peppermint
<i>Eucalyptus punctata</i>	Grey Gum
<i>Exocarpus cupressiformis</i>	Native Cherry
<i>Syncarpia glomulifera</i>	Turpentine


Other Shrubs of Sandstone Woodlands & Heaths

<i>Acacia linifolia</i>	Flax Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	

Amperea xiphoclada
Astrotricha floccosa
Baeckea brevifolia
Banksia ericifolia
Banksia oblongifolia
Banksia serrata
Banksia spinulosa
Boronia anemonifolia
Boronia serrulata
Bossiaea heterophylla
Bossiaea scolopendria
Callistemon citrinus
Callistemon linearis
Comesperma ericinum
Conospermum longifolium
Dampiera stricta
Darwinia fascicularis
Darwinia glaucophylla *
Dianella longifolia
Dodonaea camfieldii *
Dodonaea triquetra
Drosera peltata
Epacris pulchella
Eriostemon australasius
Kunzea capitata
Lambertia formosa
Eriostemon buxifolius
Goodenia bellidifolia
Goodenia ovata
Grevillea buxifolia
Grevillea sericea
Grevillea speciosa
Hybanthus monopetalus
Isopogon anemonifolius
Kunzea ambigua
Leptospermum juniperinum
Leptospermum trinervium
Leucopogon ericoides
Leucopogon microphyllus
Lomatia silaifolia
Macrozamia communis
Mirbelia rubiifolia
Olax stricta
Patersonia sericea
Persoonia lanceolata
Persoonia levis
Petrophile pulchella
Pimelea linifolia
Platysace linearifolia
Prostanthera junonis *
Prostanthera linearis
Scaevola ramosissima
Stylidium graminifolium

Broom Spurge
 Flannel Leaf
 Heath Myrtle
 Heath-leaf Banksia
 Fern-leaf Banksia
 Old Man Banksia
 Hairpin Banksia
 Sticky Boronia
 Native Rose
 Variable Bossiaea
 Leafless Bossiaea
 Crimson Bottlebrush
 Narrow-leaf Bottlebrush
 Heath Milkwort
 Smoke Bush

(Prostrate)
 Flax Lily
 Camfield's Hop Bush
 Hop Bush
 Sundew
 N.S.W. Coral Heath
 Pink Wax Flower
 Pink Buttons
 Mountain Devils
 Wax Flower
 Daisy-leaf Goodenia
 Hop Goodenia
 Grey Spider Flower
 Pink Spider Flower
 Red Spider Flower
 Ladies Slipper
 Drum Sticks
 Tick Bush
 Prickly Tea-Tree
 Paperbark Tea-Tree
 Bearded Heath
 Bearded Heath
 Wild Parsley
 Burrawang
 Red Mirbelia
 Olax
 Silky Purple Flag
 Lance-leaf Gee-Bung
 Broad-leaf Gee-Bung
 Cone Sticks
 Rice Flower
 Carrot Tops
 Somersby Mint Bush
 Narrow-leaf Mint Bush
 Fan Flower
 Trigger Plant



Telopea speciosissima
Tetralochea species
Xanthorrhoea arborea
Xylomelum pyriforme
Zieria laevigata

Climbers and Twiners

Billardiera scandens
Clematis aristata
Eustrephus latifolius
Glycine clandestina
Hardenbergia violacea

Kennedia rubicunda

Sedges and Rushes

Caustis flexuosa
Lomandra longifolia
Lomandra obliqua

Ferns of Sandstone Heathlands & Woodlands

Cheilanthes sieberi
Lindsaea linearis
Pteridium esculentum

Orchids

Caladenia caerulea
Caladenia catenata
Calochilus campestris
Cryptostylis subulata
Orchid Cymbidium suave
Dendrobium speciosum
Dipodium punctatum
Glossodia minor
Lyperanthus suaveolens
Pterostylis nutans
Thelymitra ixioides

Waratah
 Black Eyed Susan
 Grass Tree
 Woody Pear

Dumplings, Apple Berry
 Old Man's Beard
 Wombat Berry
 Love Creeper
 False Sarsaparilla,
 Purple Twining Pea
 Dusky Coral Pea

Curly Sedge, Old Man's Beard
 Mat Rush
 Fish Bones

Mulga Fern
 Screw Fern
 Bracken Fern

Blue Caladenia
 White Fingers
 Copper Beard
 Large Tongue
 Sweet Cymbidium
 Rock Orchid
 Hyacinth Orchid
 Small Wax Lip
 Brown Beaks
 Nodding Greenhood
 Spotted Sun Orchid

COASTAL WOODLANDS & HEATHS

Some different species can be found along the coastal cliffs and exposed heathlands, and in the deep sandy soils behind, such as on the walks to Bombi Point in Bouddi NP, and Wybung Head in Munmorah SRA.

Acacia sophorae
Acacia quadrilateralis *
Allocasuarina littoralis
Allocasuarina torulosa
Baeckea imbricata
Baeckea ramosissima

Coast Wattle
 Black She-Oak
 Forest Oak
 Rosy Heath Myrtle

Banksia aemula
Banksia integrifolia
Boronia polygalifolia *
Callitris rhomboidea
Casuarina glauca
Cassytha pubescens
Correa reflexa
Crowea saligna
Dianella caerulea
Hakea bakerana
Hakea teretifolia
Hibbertia dentata
Hovea linearis
Indigofera australis
Isopogon anemonifolius
Jacksonia scoparia
Leptospermum laevigatum
Oxylobium ilicifolium
Pratia purpurascens
Styphelia viridis
Phebalium squamulosum
Prostanthera ovalifolia
Viminaria juncea
Westringia fruticosa
Wahlenbergia communis
Zieria smithii

Wallum Banksia
 Coastal Banksia
 Milkwort Boronia
 Port Jackson Cypress
 Swamp Oak
 Devil's Twine

Dagger Hakea
 Twining Guinea Flower

Drumsticks

Coastal Tea-Tree
 Holly-leaf Pea
 White Root
 Green Five Corners


Mint Bush
 Native Broom
 Coast Rosemary
 Bluebell

CENTRAL COAST RAINFOREST

Flora of Rainforest and Gullies: plants seen in Rumbalara Reserve, Katandra Reserve (walks around Seymour's Pond), Ourimbah State Forest, Strickland SF, Great North Walk along Moonee Moonee Creek. and in pockets in Wyrrabalong NP, etc.

Acacia maidenii
Acacia prominens
Acmena smithii
Archontophoenix cunninghamiana
Backhousia myrtifolia
Breynia oblongifolia
Cissus antarctica
Cissus hypoglauca
Citriobatus pauciflorus
Cyathea leichhardtiana
Doryphora sassafras
Duboisia myoporoides
Endiandra sieberi
Eupomatia laurina
Ficus obliqua
Glochidion ferdinandi
Livistona australis
Myoporum acuminatum
Notelaea longifolia

Maiden's Wattle
 Gosford Wattle
 Lilly Pilly
 Bangalow Palm
 Grey Myrtle
 Dwarf's Apples
 Kangaroo Vine
 Water Vine
 Orange Thorn
 Prickly Treefern
 Sassafras
 Corkwood
 Corkwood
 Bolwarra
 Strangler Fig
 Cheese Tree
 Cabbage Tree Palm
 Northern Boobialla
 Mock Olive



Omalanthus populifolius
Pittosporum revolutum
Platycerium bifurcatum
Rubus hillii
Sloanea australis
Smilax australis
Smilax glyciophylla
Solanum aviculare
Synoum glandulosum
Syzygium australe
Syzygium paniculatum *
Tasmannia insipida
Toona ciliata *

Bleeding Heart
 Rough-Fruit Pittosporum
 Elkhorn
 Broad-leaf Bramble
 Maiden's Blush
 Austral Sarsaparilla
 Sweet Sarsaparilla
 Kangaroo Apple
 scentless Rosewood
 Lillypilly
 Magenta Cherry
 Pepper Bush
 Red Cedar

Other **Trees** found nearby, in damp gullies and hillsides, include;

Angophora floribunda
Eucalyptus deanei
Eucalyptus saligna

Rough barked Apple
 Mountain Blue Gum
 Sydney Blue Gum

ROCKY CREEKS

Flora found around creeks, waterfalls and ponds in the Sandstone areas such as Girrakool, Moonee Moonee Creek, Strickland SF and Somersby Falls.

Trees

Acacia elata
Callicoma serratifolia
Ceratopetalum apetalum
Tristania nerifolia
Tristaniopsis laurina
Lomatia myricoides

Cedar Wattle
 Black "Wattle"
 Coachwood
 Water Gum
 Water Gum
 River Lomatia

Others

Austromyrtus tenuifolia
Baeckea linifolia
Bauera rubioides
Bursaria spinosa
Dracophyllum secundum
Grevillea shiressii *
Hibbertia dentata
Phebalium dentatum
Restio tetraphyllus ssp meiotachyus
Adiantum aethiopicum
Asplenium australasicum
Blechnum species
Calochlaena dubia
Doodia aspera
Sticherus flabellatus
Todea barbara

Narrow-leaf Myrtle
 Swamp Baeckea
 River Rose
 Blackthorn, Sweet Bursaria

 Twining Guinea Flower

 Tassel Cord Rush
 Maidenhair Fern
 Bird's Nest Fern
 Water Ferns
 False Bracken
 Common Rasp Fern
 Shiny Fan Fern
 King Fern

SWAMPS

Flora of damp and swampy places in Sandstone heaths, such as hanging swamps, in Brisbane Water N.P. and Somersby, along the Great North Walk.

<i>Banksia robur</i>	Swamp Banksia
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Melaleuca styphelioides</i>	Prickly-leaf Paperbark
<i>Melaleuca thymifolia</i>	Thyme Honeymyrtle
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Sprengelia incarnata</i>	
<i>Epacris obtusifolia</i>	Swamp Heath
<i>Xyris species</i>	Yellow Eye
<i>Caustis pentandra</i>	Tall Sedge
<i>Cyperus species</i>	Sedges
<i>Gahnia species</i>	Saw-Sedges
<i>Juncus species</i>	Rushes
<i>Gleichenia dicarpa</i>	Coral Fern


COASTAL FORESTS such as The Red Gum Forest, Wyrabalong NP;

<i>Angophora costata</i>	Sydney Red Gum
<i>Banksia integrifolia</i>	Coast Banksia
<i>Ficus coronata</i>	Sandpaper Fig
<i>Ficus fraseri</i> *	Sandpaper Fig
<i>Casuarina glauca</i>	Swamp Oak
<i>Leptospermum laevigatum</i>	Coastal Tea-Tree
<i>Macrozamia communis</i>	Burrawang
<i>Styphelia viridis</i>	Green Five-Corners
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Actinotus helianthi</i>	Flannel Flower
<i>Correa reflexa</i>	Native Fuchsia
<i>Dillwynia retorta</i>	"Bacon & Eggs"
<i>Aotus ericoides</i>	Common Aotus
<i>Ricinocarpos pinifolius</i>	Wedding Bush
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Dodonaea triquetra</i>	Hop Bush
<i>Acianthus fornicatus</i>	Pixie Orchid

WATERFRONTS


Close to the edges of Freshwater Lakes, like Tuggerah Lakes, and Colongra Wetlands, on Lake Munmorah, as well as overlooking saltier areas, one finds trees such as:

<i>Eucalyptus robusta</i>	Swamp Mahogany
<i>Eucalyptus botryoides</i>	Bangalay
<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark
<i>Melaleuca styphelioides</i>	Prickly-leaf Paperbark
<i>Melaleuca biconvexa</i> *	




Around the **FORESHORES** of Brisbane Water, such as Cockle Bay, Davistown waterfront, etc.

<i>Avicennia marina</i>	Grey Mangrove
<i>Aegiceras corniculatum</i>	River Mangrove
<i>Melaleuca ericifolia</i>	Swamp Paperbark
<i>Melaleuca nodosa</i>	Prickly-leaf Paperbark
<i>Casuarina glauca</i>	Swamp Oak
<i>Ficus rubiginosa</i>	Port Jackson Fig
<i>Scaevola calendulacea</i>	Dune Fan Flower
<i>Cakile edentula</i>	Sea Rocket
<i>Carpobrotus glaucescens</i>	Pig Face
<i>Enchylaena tomentosa</i>	Ruby Saltbush
<i>Tetragonia tetragonioides</i>	Warrigal Cabbage
<i>Isolepis nodosa</i>	Knobby Club-Rush
<i>Suaeda australis</i>	Seablite
<i>Cyperus species</i>	Sedges
<i>Juncus species</i>	Rushes



Ringtail Possums



FAUNA LIST

Source: This fauna list was derived from the NSW National Parks and Wildlife Service Atlas of NSW Wildlife. The status definitions are from the National Parks and Wildlife Act, and the Threatened Species Conservation Act 1995. These data are only indicative and cannot be considered a comprehensive inventory, and may contain errors and omissions.

Legal Status

E1	Endangered	Listed as endangered under the Threatened Species Conservation Act, 1995. Is likely to become extinct in nature in NSW unless the circumstances and factors threatening its survival cease to operate or its numbers have been reduced to such a critical level or its habitats have been drastically reduced that it is in immediate danger of extinction.
V	Vulnerable	The species is likely to become endangered unless the circumstances and factors threatening its survival or evolutionary development cease to operate.
U	Unprotected	Fauna listed in Schedule 11 of the National Parks and Wildlife Act (introduced species).
P	Protected	Native fauna not listed in Schedule 11 of the National Parks and Wildlife Act.

Reptiles

Scientific Name	Common Name	Legal Status
<i>Hoplocephalus bungaroides</i>	Broad-headed Snake	E1
<i>Chelonia mydas</i>	Green Turtle	V
<i>Demansia torquata</i>	Collared Whip Snake	V
<i>Hoplocephalus bitorquatus</i>	Pale-headed Snake	V
<i>Hoplocephalus stephensii</i>	Stephen's Banded Snake	V
<i>Varanus rosenbergi</i>	Heath Monitor	V
<i>Acanthophis antarcticus</i>	Common Death Adder	P
<i>Amphibolurus muricatus</i>	Jacky Lizard	P
<i>Amphibolurus nobbi</i>	Nobbi	P
<i>Anomalopus swansonii</i>		P
<i>Bassiana platynota</i>	Red-throated Skink	P
<i>Boiga irregularis</i>	Brown Tree Snake	P
<i>Cacophis krefftii</i>	Krefft's Dwarf Snake	P
<i>Cacophis squamulosus</i>	Golden Crowned Snake	P
<i>Calyptotis ruficauda</i>		P
<i>Carlia tetradactyla</i>	Southern Rainbow Skink	P
<i>Chelodina longicollis</i>	Eastern Long-necked Tortoise	P
<i>Cryptoblepharus virgatus</i>	Wall Lizard	P
<i>Ctenotus robustus</i>	Striped Skink	P
<i>Ctenotus taeniolatus</i>	Copper-tailed Skink	P
<i>Cyclodomorphus michaeli</i>		P
<i>Delma plebeia</i>		P

<i>Demansia psammophis</i>	Yellow-faced Whip Snake	P
<i>Dendrelaphis punctulata</i>	Green Tree Snake	P
<i>Diplodactylus vittatus</i>	Stone Gecko	P
<i>Drysdalia coronoides</i>	White-lipped Snake	P
<i>Egernia cunninghami</i>	Cunningham's Skink	P
<i>Egernia major</i>	Land Mullet	P
<i>Egernia modesta</i>		P
<i>Egernia saxatilis</i>	Black Rock Skink	P
<i>Egernia striolata</i>	Tree Skink	P
<i>Egernia whitii</i>	White's Skink	P
<i>Eretmochelys imbricata</i>	Hawksbill Turtle	P
<i>Eulamprus heatwolei</i>		P
<i>Eulamprus quoyii</i>	Eastern Water Skink	P
<i>Eulamprus tenuis</i>	Barred-side Skink	P
<i>Eulamprus tympanum</i>	Highland Water Skink	P
<i>Furina diadema</i>	Red-naped Snake	P
<i>Hemiaspis signata</i>	Black-bellied Swamp Snake	P
<i>Hemiernis decresiensis</i>		P
<i>Hemisphaeriodon gerrardii</i>	Pink-tongued Lizard	P
<i>Hypsilurus spinipes</i>	Southern Angle-headed Dragon	P
<i>Lampropholis delicata</i>	Grass Skink	P
<i>Lampropholis guichenoti</i>	Garden Skink	P
<i>Lampropholis sp.</i>	unidentified grass skink	P
<i>Lerista bougainvillii</i>	Bougainville's Skink	P
<i>Lialis burtonis</i>	Burton's Legless Lizard	P
<i>Lygisaurus foliorum</i>		P
<i>Morelia spilota</i>	Carpet or Diamond Python	P
<i>Morelia spilota spilota</i>	Diamond Python	P
<i>Morethia boulengeri</i>	Boulenger's Skink	P
<i>Notechis scutatus</i>	Eastern Tiger Snake	P
<i>Oedura lesueurii</i>	Lesueur's Velvet Gecko	P
<i>Oedura robusta</i>	Robust Velvet Gecko	P
<i>Pelamis platurus</i>	Yellow-bellied Sea Snake	P
<i>Phyllurus platurus</i>	Southern Leaf-tailed Gecko	P
<i>Physignathus lesueurii</i>	Eastern Water Dragon	P
<i>Pogona barbata</i>	Bearded Dragon	P
<i>Pseudechis guttatus</i>	Spotted Black Snake	P
<i>Pseudechis porphyriacus</i>	Red-bellied Black Snake	P
<i>Pseudonaja textilis</i>	Eastern Brown Snake	P
<i>Pygopus lepidopodus</i>	Common Scaly-foot	P
<i>Ramphotyphlops bituberculatus</i>		P
<i>Ramphotyphlops nigrescens</i>		P
<i>Ramphotyphlops proximus</i>		P
<i>Ramphotyphlops sp.</i>	blind snake	P
<i>Ramphotyphlops wiedii</i>		P
<i>Rhinoplocephalus nigrescens</i>	Eastern Small-eyed Snake	P
<i>Saiphos equalis</i>	Three-toed Skink	P
<i>Saproscincus challengerii</i>		P
<i>Saproscincus mustelinus</i>	Weasel Skink	P
<i>Saproscincus rosei</i>		P
<i>Suta spectabilis dwyeri</i>		P
<i>Tiliqua scincoides</i>	Eastern Blue-tongued Lizard	P
<i>Tympanocryptis diemensis</i>	Mountain Dragon	P
<i>Underwoodisaurus milii</i>	Thick-tailed Gecko	P

Varanus gouldii
Varanus varius
Vermicella annulata

Gould's Goanna P
 Lace Monitor P
 Bandy Bandy P

Passerine Birds

Scientific Name

Common Name

Status

<i>Xanthomyza phrygia</i>	Regent Honeyeater	E1
<i>Grantiella picta</i>	Painted Honeyeater	V
<i>Pachycephala olivacea</i>	Olive Whistler	V
<i>Acanthagenys rufogularis</i>	Spiny-cheeked Honeyeater	P
<i>Acanthiza chrysorrhoa</i>	Yellow-rumped Thornbill	P
<i>Acanthiza lineata</i>	Striated Thornbill	P
<i>Acanthiza nana</i>	Yellow Thornbill	P
<i>Acanthiza pusilla</i>	Brown Thornbill	P
<i>Acanthiza reguloides</i>	Buff-rumped Thornbill	P
<i>Acanthorhynchus tenuirostris</i>	Eastern Spinebill	P
<i>Acrocephalus stentoreus</i>	Clamorous Reed-Warbler	P
<i>Ailuroedus crassirostris</i>	Green Catbird	P
<i>Anthochaera carunculata</i>	Red Wattlebird	P
<i>Anthochaera chrysoptera</i>	Little Wattlebird	P
<i>Anthus novaeseelandiae</i>	Richard's Pipit	P
<i>Aphelocephala leucopsis</i>	Southern Whiteface	P
<i>Artamus cyanopterus</i>	Dusky Woodswallow	P
<i>Artamus leucorhynchus</i>	White-breasted Woodswallow	P
<i>Artamus personatus</i>	Masked Woodswallow	P
<i>Artamus superciliosus</i>	White-browed Woodswallow	P
<i>Cheramoeca leucosternus</i>	White-backed Swallow	P
<i>Chlamydera maculata</i>	Spotted Bowerbird	P
<i>Chthonicola sagittata</i>	Speckled Warbler	P
<i>Cinclorhamphus cruralis</i>	Brown Songlark	P
<i>Cinclorhamphus mathewsi</i>	Rufous Songlark	P
<i>Cinclosoma punctatum</i>	Spotted Quail-thrush	P
<i>Cisticola exilis</i>	Golden-headed Cisticola	P
<i>Climacteris erythroptis</i>	Red-browed Treecreeper	P
<i>Climacteris picumnus</i>	Brown Treecreeper	P
<i>Colluricincla harmonica</i>	Grey Shrike-thrush	P
<i>Coracina maxima</i>	Ground Cuckoo-shrike	P
<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike	P
<i>Coracina papuensis</i>	White-bellied Cuckoo-shrike	P
<i>Coracina tenuirostris</i>	Cicadabird	P
<i>Corcorax melanorhamphos</i>	White-winged Chough	P
<i>Cormobates leucophaeus</i>	White-throated Treecreeper	P
<i>Corvus coronoides</i>	Australian Raven	P
<i>Corvus mellori</i>	Little Raven	P
<i>Cracticus nigrogularis</i>	Pied Butcherbird	P
<i>Cracticus torquatus</i>	Grey Butcherbird	P
<i>Daphoenositta chrysoptera</i>	Varied Sittella	P
<i>Dicaeum hirundinaceum</i>	Mistletoebird	P
<i>Dicrurus bracteatus</i>	Spangled Drongo	P
<i>Entomyzon cyanotis</i>	Blue-faced Honeyeater	P
<i>Eopsaltria australis</i>	Eastern Yellow Robin	P
<i>Epthianura albifrons</i>	White-fronted Chat	P
<i>Epthianura tricolor</i>	Crimson Chat	P

<i>Falcunculus frontatus</i>	Crested Shrike-tit	P
<i>Gerygone fusca</i>	Western Gerygone	P
<i>Gerygone levigaster</i>	Mangrove Gerygone	P
<i>Gerygone mouki</i>	Brown Gerygone	P
<i>Gerygone olivacea</i>	White-throated Gerygone	P
<i>Grallina cyanoleuca</i>	Magpie-lark	P
<i>Gymnorhina tibicen</i>	Australian Magpie	P
<i>Hirundo ariel</i>	Fairy Martin	P
<i>Hirundo neoxena</i>	Welcome Swallow	P
<i>Hirundo nigricans</i>	Tree Martin	P
<i>Hylacola pyrrhopygia</i>	Chestnut-rumped Heathwren	P
<i>Lalage leucomela</i>	Varied Triller	P
<i>Lalage sueurii</i>	White-winged Triller	P
<i>Lichenostomus chrysops</i>	Yellow-faced Honeyeater	P
<i>Lichenostomus fuscus</i>	Fuscous Honeyeater	P
<i>Lichenostomus leucotis</i>	White-eared Honeyeater	P
<i>Lichenostomus melanops</i>	Yellow-tufted Honeyeater	P
<i>Lichenostomus penicillatus</i>	White-plumed Honeyeater	P
<i>Lichenostomus virescens</i>	Singing Honeyeater	P
<i>Lichmera indistincta</i>	Brown Honeyeater	P
<i>Lonchura castaneothorax</i>	Chestnut-breasted Mannikin	P
<i>Malurus cyaneus</i>	Superb Fairy-wren	P
<i>Malurus lamberti</i>	Variegated Fairy-wren	P
<i>Malurus sp.</i>	Unidentified Fairy-wren	P
<i>Manorina melanocephala</i>	Noisy Miner	P
<i>Manorina melanophrys</i>	Bell Miner	P
<i>Megalurus gramineus</i>	Little Grassbird	P
<i>Megalurus timoriensis</i>	Tawny Grassbird	P
<i>Melanodryas cucullata</i>	Hooded Robin	P
<i>Meliphaga lewinii</i>	Lewin's Honeyeater	P
<i>Melithreptus brevirostris</i>	Brown-headed Honeyeater	P
<i>Melithreptus gularis</i>	Black-chinned Honeyeater	P
<i>Melithreptus lunatus</i>	White-naped Honeyeater	P
<i>Menura novaehollandiae</i>	Superb Lyrebird	P
<i>Microeca fascinans</i>	Jacky Winter	P
<i>Monarcha melanopsis</i>	Black-faced Monarch	P
<i>Monarcha trivirgatus</i>	Spectacled Monarch	P
<i>Myiagra cyanoleuca</i>	Satin Flycatcher	P
<i>Myiagra inquieta</i>	Restless Flycatcher	P
<i>Myiagra rubecula</i>	Leaden Flycatcher	P
<i>Myzomela sanguinolenta</i>	Scarlet Honeyeater	P
<i>Nechmia modesta</i>	Plum-headed Finch	P
<i>Nechmia temporalis</i>	Red-browed Finch	P
<i>Oreoica gutturalis</i>	Crested Bellbird	P
<i>Origma solitaria</i>	Rockwarbler	P
<i>Oriolus sagittatus</i>	Olive-backed Oriole	P
<i>Orthonyx temminckii</i>	Logrunner	P
<i>Pachycephala pectoralis</i>	Golden Whistler	P
<i>Pachycephala rufiventris</i>	Rufous Whistler	P
<i>Pardalotus punctatus</i>	Spotted Pardalote	P
<i>Pardalotus punctatus xanthopygus</i>	Yellow-rumped Pardalote	P
<i>Pardalotus striatus</i>	Striated Pardalote	P
<i>Petroica goodenovii</i>	Red-capped Robin	P
<i>Petroica multicolor</i>	Scarlet Robin	P
<i>Petroica phoenicea</i>	Flame Robin	P
<i>Petroica rosea</i>	Rose Robin	P



<i>Philemon citreogularis</i>	Little Friarbird	P
<i>Philemon corniculatus</i>	Noisy Friarbird	P
<i>Phylidonyris melanops</i>	Tawny-crowned Honeyeater	P
<i>Phylidonyris nigra</i>	White-cheeked Honeyeater	P
<i>Phylidonyris novaehollandiae</i>	New Holland Honeyeater	P
<i>Phylidonyris pyrrhoptera</i>	Crescent Honeyeater	P
<i>Pitta versicolor</i>	Noisy Pitta	P
<i>Plectorhyncha lanceolata</i>	Striped Honeyeater	P
<i>Pomatostomus superciliosus</i>	White-browed Babbler	P
<i>Pomatostomus temporalis</i>	Grey-crowned Babbler	P
<i>Psophodes olivaceus</i>	Eastern Whipbird	P
<i>Ptilonorhynchus violaceus</i>	Satin Bowerbird	P
<i>Ptiloris paradiseus</i>	Paradise Riflebird	P
<i>Pycnoptilus floccosus</i>	Pilotbird	P
<i>Rhipidura fuliginosa</i>	Grey Fantail	P
<i>Rhipidura leucophrys</i>	Willie Wagtail	P
<i>Rhipidura rufifrons</i>	Rufous Fantail	P
<i>Sericornis citreogularis</i>	Yellow-throated Scrubwren	P
<i>Sericornis frontalis</i>	White-browed Scrubwren	P
<i>Sericornis magnirostris</i>	Large-billed Scrubwren	P
<i>Sericulus chrysocephalus</i>	Regent Bowerbird	P
<i>Smicrornis brevirostris</i>	Weebill	P
<i>Sphecotheres viridis</i>	Figbird	P
<i>Stagonopleura bella</i>	Beautiful Firetail	P
<i>Stagonopleura guttata</i>	Diamond Firetail	P
<i>Stipiturus malachurus</i>	Southern Emu-wren	P
<i>Strepera graculina</i>	Pied Currawong	P
<i>Strepera versicolor</i>	Grey Currawong	P
<i>Taeniopygia bichenovii</i>	Double-barred Finch	P
<i>Taeniopygia guttata</i>	Zebra Finch	P
<i>Zoothera dauma</i>	Unidentified Ground Thrush	P
<i>Zoothera heinei</i>	Russet-tailed Thrush	P
<i>Zoothera lunulata</i>	Bassian Thrush	P
<i>Zoothera sp.</i>	unidentified ground thrush	P
<i>Zosterops lateralis</i>	Silvereye	P

Non Passerine Birds

Scientific Name	Common Name	Status
<i>Halobaena caerulea</i>	Blue Petrel	P
<i>Macronectes giganteus</i>	Southern Giant-Petrel	P
<i>Pachyptila turtur</i>	Fairy Prion	P
<i>Pterodroma externa</i>	Juan Fernandez Petrel	P
<i>Pterodroma leucoptera</i>	Gould's Petrel	E1
<i>Pterodroma neglecta</i>	Kermadec Petrel	V
<i>Pterodroma nigripennis</i>	Black-winged Petrel	V
<i>Pterodroma solandri</i>	Providence Petrel	V
<i>Fregata ariel</i>	Lesser Frigatebird	P
<i>Puffinus bulleri</i>	Buller's Shearwater	P
<i>Puffinus gavia</i>	Fluttering Shearwater	P
<i>Puffinus griseus</i>	Sooty Shearwater	P
<i>Puffinus pacificus</i>	Wedge-tailed Shearwater	P
<i>Puffinus tenuirostris</i>	Short-tailed Shearwater	P

<i>Anhinga melanogaster</i>	Darter	P
<i>Pelecanus conspicillatus</i>	Australian Pelican	P
<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	E1
<i>Phalacrocorax carbo</i>	Great Cormorant	P
<i>Phalacrocorax melanoleucos</i>	Little Pied Cormorant	P
<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant	P
<i>Ardea alba</i>	Great Egret	P
<i>Ardea ibis</i>	Cattle Egret	P
<i>Ardea intermedia</i>	Intermediate Egret	P
<i>Egretta garzetta</i>	Little Egret	P
<i>Egretta sacra</i>	Eastern Reef Egret	P
<i>Ardea pacifica</i>	White-necked Heron	P
<i>Butorides striatus</i>	Striated Heron	P
<i>Egretta novaehollandiae</i>	White-faced Heron	P
<i>Nycticorax caledonicus</i>	Nankeen Night Heron	P
<i>Botaurus poiciloptilus</i>	Australasian Bittern	V
<i>Ixobrychus flavicollis</i>	Black Bittern	V
<i>Ixobrychus minutus</i>	Little Bittern	P
<i>Plegadis falcinellus</i>	Glossy Ibis	P
<i>Threskiornis molucca</i>	Australian White Ibis	P
<i>Threskiornis spinicollis</i>	Straw-necked Ibis	P
<i>Anas castanea</i>	Chestnut Teal	P
<i>Anas gracilis</i>	Grey Teal	P
<i>Anas rhynchotis</i>	Australasian Shoveler	P
<i>Anas superciliosa</i>	Pacific Black Duck	P
<i>Aythya australis</i>	Hardhead	P
<i>Biziura lobata</i>	Musk Duck	P
<i>Chenonetta jubata</i>	Australian Wood Duck	P
<i>Dendrocygna arcuata</i>	Wandering Whistling-Duck	P
<i>Dendrocygna eytoni</i>	Plumed Whistling-Duck	P
<i>Malacorhynchus membranaceus</i>	Pink-eared Duck	P
<i>Stictonetta naevosa</i>	Freckled Duck	V
<i>Tadorna tadornoides</i>	Australian Shelduck	P
<i>Cygnus atratus</i>	Black Swan	P
<i>Podiceps cristatus</i>	Great Crested Grebe	P
<i>Poliiocephalus poliocephalus</i>	Hoary-headed Grebe	P
<i>Tachybaptus novaehollandiae</i>	Australasian Grebe	P
<i>Accipiter cirrhocephalus</i>	Collared Sparrowhawk	P
<i>Accipiter fasciatus</i>	Brown Goshawk	P
<i>Accipiter novaehollandiae</i>	Grey Goshawk	P
<i>Erythrotriorchis radiatus</i>	Red Goshawk	E1
<i>Circus approximans</i>	Swamp Harrier	P
<i>Circus assimilis</i>	Spotted Harrier	P
<i>Elanus axillaris</i>	Black-shouldered Kite	P
<i>Haliastur indus</i>	Brahminy Kite	P
<i>Haliastur sphenurus</i>	Whistling Kite	P
<i>Hamirostra melanosternon</i>	Black-breasted Buzzard	V
<i>Milvus migrans</i>	Black Kite	P
<i>Pandion haliaetus</i>	Osprey	V
<i>Falco peregrinus</i>	Peregrine Falcon	P



<i>Falco subniger</i>	Black Falcon	P
<i>Falco berigora</i>	Brown Falcon	P
<i>Alectura lathamii</i>	Australian Brush-turkey	P
<i>Burhinus grallarius</i>	Bush Stone-curlew	E1
<i>Coturnix chinensis</i>	King Quail	P
<i>Coturnix pectoralis</i>	Stubble Quail	P
<i>Coturnix ypsilophora</i>	Brown Quail	P
<i>Turnix maculosa</i>	Red-backed Button-quail	P
<i>Turnix varia</i>	Painted Button-quail	P
<i>Turnix velox</i>	Little Button-quail	P
<i>Gallinula tenebrosa</i>	Dusky Moorhen	P
<i>Gallirallus philippensis</i>	Buff-banded Rail	P
<i>Irediparra gallinacea</i>	Comb-crested Jacana	V
<i>Porphyrio porphyrio</i>	Purple Swamphen	P
<i>Fulica atra</i>	Eurasian Coot	P
<i>Charadrius bicinctus</i>	Double-banded Plover	P
<i>Charadrius ruficapillus</i>	Red-capped Plover	P
<i>Charadrius veredus</i>	Oriental Plover	P
<i>Charadrius leschenaultii</i>	Greater Sand Plover	V
<i>Charadrius mongolus</i>	Lesser Sand Plover	V
<i>Pluvialis dominica</i>	Lesser Golden Plover	P
<i>Pluvialis fulva</i>	Pacific Golden Plover	P
<i>Pluvialis squatarola</i>	Grey Plover	P
<i>Vanellus miles</i>	Masked Lapwing	P
<i>Vanellus tricolor</i>	Banded Lapwing	P
<i>Elsayornis melanops</i>	Black-fronted Dotterel	P
<i>Erythronyx cinctus</i>	Red-kneed Dotterel	P
<i>Calidris ruficollis</i>	Red-necked Stint	P
<i>Xenus cinereus</i>	Terek Sandpiper	V
<i>Actitis hypoleucos</i>	Common Sandpiper	P
<i>Limicola falcinellus</i>	Broad-billed Sandpiper	V
<i>Tringa stagnatilis</i>	Marsh Sandpiper	P
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	P
<i>Calidris ferruginea</i>	Curlew Sandpiper	P
<i>Calidris alba</i>	Sanderling	V
<i>Calidris tenuirostris</i>	Great Knot	V
<i>Heteroscelus brevipes</i>	Grey-tailed Tattler	P
<i>Gallinago hardwickii</i>	Latham's Snipe	P
<i>Limosa limosa</i>	Black-tailed Godwit	V
<i>Limosa lapponica</i>	Bar-tailed Godwit	P
<i>Numenius madagascariensis</i>	Eastern Curlew	P
<i>Numenius phaeopus</i>	Whimbrel	P
<i>Tringa nebularia</i>	Common Greenshank	P
<i>Cladorhynchus leucocephalus</i>	Banded Stilt	P
<i>Himantopus himantopus</i>	Black-winged Stilt	P
<i>Haematopus fuliginosus</i>	Sooty Oystercatcher	V
<i>Haematopus longirostris</i>	Pied Oystercatcher	V
<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet	P
<i>Stercorarius parasiticus</i>	Arctic Jaeger	P
<i>Larus dominicanus</i>	Kelp Gull	P
<i>Larus novaehollandiae</i>	Silver Gull	P

<i>Chlidonias hybridus</i>	Whiskered Tern	P
<i>Chlidonias leucopterus</i>	White-winged Black Tern	P
<i>Sterna bergii</i>	Crested Tern	P
<i>Sterna caspia</i>	Caspian Tern	P
<i>Sterna hirundo</i>	Common Tern	P
<i>Sterna nilotica</i>	Gull-billed Tern	P
<i>Sterna paradisaea</i>	Arctic Tern	P
<i>Sterna striata</i>	White-fronted Tern	P
<i>Sterna albifrons</i>	Little Tern	E1
<i>Gygis alba</i>	White Tern	V
<i>Platalea flavipes</i>	Yellow-billed Spoonbill	P
<i>Platalea regia</i>	Royal Spoonbill	P
<i>Cacatua galerita</i>	Sulphur-crested Cockatoo	P
<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo	P
<i>Calyptorhynchus funereus</i>	Yellow-tailed Black-Cockatoo	P
<i>Calyptorhynchus lathami</i>	Glossy Black-Cockatoo	V
<i>Trichoglossus chlorolepidotus</i>	Scaly-breasted Lorikeet	P
<i>Trichoglossus haematodus</i>	Rainbow Lorikeet	P
<i>Glossopsitta concinna</i>	Musk Lorikeet	P
<i>Glossopsitta pusilla</i>	Little Lorikeet	P
<i>Lathamus discolor</i>	Swift Parrot	E1
<i>Alisterus scapularis</i>	Australian King-Parrot	P
<i>Neophema pulchella</i>	Turquoise Parrot	V
<i>Psephotus haematonotus</i>	Red-rumped Parrot	P
<i>Aprosmictus erythropterus</i>	Red-winged Parrot	P
<i>Platycercus elegans</i>	Crimson Rosella	P
<i>Platycercus eximius</i>	Eastern Rosella	P
<i>Cacatua roseicapilla</i>	Galah	P
<i>Cacatua sanguinea</i>	Little Corella	P
<i>Cacatua tenuirostris</i>	Long-billed Corella	P
<i>Nymphicus hollandicus</i>	Cockatiel	P
<i>Barnardius zonarius</i>	Australian Ringneck	P
<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo	P
<i>Cacomantis variolosus</i>	Brush Cuckoo	P
<i>Chrysococcyx basalis</i>	Horsfield's Bronze-Cuckoo	P
<i>Chrysococcyx lucidus</i>	Shining Bronze-Cuckoo	P
<i>Chrysococcyx osculans</i>	Black-eared Cuckoo	P
<i>Cuculus pallidus</i>	Pallid Cuckoo	P
<i>Cuculus saturatus</i>	Oriental Cuckoo	P
<i>Scythrops novaehollandiae</i>	Channel-billed Cuckoo	P
<i>Eudynamys scolopacea</i>	Common Koel	P
<i>Dacelo novaeguineae</i>	Laughing Kookaburra	P
<i>Macropygia amboinensis</i>	Brown Cuckoo-Dove	P
<i>Aviceda subcristata</i>	Pacific Baza	P
<i>Todiramphus sanctus</i>	Sacred Kingfisher	P
<i>Merops ornatus</i>	Rainbow Bee-eater	P
<i>Eurystomus orientalis</i>	Dollarbird	P
<i>Alcedo azurea</i>	Azure Kingfisher	P
<i>Centropus phasianinus</i>	Pheasant Coucal	P
<i>Ninox connivens</i>	Barking Owl	V



<i>Ninox strenua</i>	Powerful Owl	V
<i>Tyto capensis</i>	Grass Owl	V
<i>Tyto novaehollandiae</i>	Masked Owl	V
<i>Tyto tenebricosa</i>	Sooty Owl	V
<i>Aegotheles cristatus</i>	Australian Owlet-nightjar	P
<i>Tyto alba</i>	Barn Owl	P
<i>Eurostopodus mystacalis</i>	White-throated Nightjar	P
<i>Podargus strigoides</i>	Tawny Frogmouth	P
<i>Hirundapus caudacutus</i>	White-throated Needletail	P
<i>Apus pacificus</i>	Fork-tailed Swift	P
<i>Aquila audax</i>	Wedge-tailed Eagle	P
<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle	P
<i>Hieraaetus morphnoides</i>	Little Eagle	P
<i>Falco cenchroides</i>	Nankeen Kestrel	P
<i>Falco longipennis</i>	Australian Hobby	P
<i>Porzana fluminea</i>	Australian Spotted Crake	P
<i>Porzana pusilla</i>	Baillon's Crake	P
<i>Porzana tabuensis</i>	Spotless Crake	P
<i>Rallus pectoralis</i>	Lewin's Rail	P
<i>Dromaius novaehollandiae</i>	Emu	P

Introduced Birds

Scientific Name

Status

Acridotheres tristis
Alauda arvensis
Anas platyrhynchos
Carduelis carduelis
Columba livia
Lonchura punctulata
Passer domesticus
Pycnonotus jocosus
Streptopelia chinensis
Sturnus vulgaris
Turdus merula

Common Name

Common Myna U
 Skylark U
 Mallard U
 European Goldfinch U
 Rock Dove U
 Nutmeg Mannikin U
 House Sparrow U
 Red-whiskered Bulbul U
 Spotted Turtle-Dove U
 Common Starling U
 Common Blackbird U

Frogs

Scientific Name

Status

Adelotus brevis
Crinia signifera
Crinia tinnula
Heleioporus australiacus
Lechriodus fletcheri
Limnodynastes dumerilii
Limnodynastes ornatus
Limnodynastes peronii

Common Name

Tusked Frog P
 Common Eastern Froglet P
 Wallum Froglet V
 Giant Burrowing Frog V
 Fletcher's Frog P
 Eastern Banjo Frog P
 Ornate Burrowing Frog P
 Brown-striped Frog P

<i>Limnodynastes tasmaniensis</i>	Spotted Grass Frog	P
<i>Litoria aurea</i>	Green and Golden Bell Frog	E1
<i>Litoria booroolongensis</i>	Booroolong Frog	E1
<i>Litoria brevipalmata</i>	Green Thighed Frog	V
<i>Litoria caerulea</i>	Green Tree Frog	P
<i>Litoria chloris</i>	Red-eyed Tree Frog	P
<i>Litoria citropa</i>	Blue Mountains Tree Frog	P
<i>Litoria dentata</i>	Bleating Tree Frog	P
<i>Litoria fallax</i>	Eastern Dwarf Tree Frog	P
<i>Litoria freycineti</i>	Freycinet's Frog	P
<i>Litoria jervisiensis</i>	Jervis Bay Tree Frog	P
<i>Litoria latopalmata</i>		P
<i>Litoria lesueuri</i>	Lesueur's Frog	P
<i>Litoria littlejohni</i>	Heath Frog	V
<i>Litoria pearsoniana</i>		P
<i>Litoria pearsoniana/phyllochroa</i>	Leaf Green Tree Frog species complex	P
<i>Litoria peronii</i>	Peron's Tree Frog	P
<i>Litoria phyllochroa</i>	Leaf Green Tree Frog	P
<i>Litoria revelata</i>		P
<i>Litoria subglandulosa</i>		V
<i>Litoria tyleri</i>		P
<i>Litoria verreauxii</i>		P
<i>Mixophyes balbus</i>		V
<i>Mixophyes fasciolatus</i>	Great Barred Frog	P
<i>Mixophyes iteratus</i>	Giant Barred Frog	E1
<i>Paracrinia haswelli</i>	Haswell's Frog	P
<i>Phyloria sphagnicolus</i>	Sphagnum Frog	V
<i>Pseudophryne australis</i>	Red-crowned Toadlet	V
<i>Pseudophryne bibronii</i>	Brown Toadlet	P
<i>Pseudophryne coriacea</i>	Red-backed Toadlet	P
<i>Pseudophryne sp.</i>		P
<i>Uperoleia fusca</i>		P
<i>Uperoleia laevigata</i>	Smooth Toadlet	P
<i>Uperoleia marmorata</i>		P
<i>Uperoleia rugosa</i>		P
<i>Uperoleia sp.</i>		P
<i>Uperoleia tyleri</i>	Tyler's Toadlet	P

Mammals

Scientific Name	Common Name	Status
<i>Antechinus flavipes</i>	Yellow-footed Antechinus	P
<i>Antechinus stuartii</i>	Brown Antechinus	P
<i>Antechinus swainsonii</i>	Dusky Antechinus	P
<i>Chalinolobus dwyeri</i>	Large-eared Pied Bat	V
<i>Chalinolobus gouldii</i>	Gould's Wattled Bat	P
<i>Chalinolobus morio</i>	Chocolate Wattled Bat	P
<i>Kerivoula papuensis</i>	Golden-tipped Bat	V
<i>Falsistrellus tasmaniensis</i>	Eastern False Pipistrelle	V
<i>Miniopterus schreibersii</i>	Common Bent-wing Bat	V
<i>Mormopterus loriae</i>	Little Freetail Bat	P
<i>Mormopterus norfolkensis</i>	East Coast Freetail Bat	V
<i>Mormopterus planiceps</i>	Little Mastiff-bat	P
<i>Myotis adversus</i>	Large-footed Myotis	V



<i>Miniopterus australis</i>	Little Bent-wing Bat	V
<i>Nyctinomus australis</i>	White-striped Mastiff-bat	P
<i>Nyctophilus geoffroyi</i>	Lesser Long-eared Bat	P
<i>Nyctophilus gouldi</i>	Gould's Long-eared Bat	P
<i>Nyctophilus timoriensis</i>	Greater Long-eared Bat	V
<i>Vespadelus darlingtoni</i>	Large Forest Bat	P
<i>Vespadelus pumilus</i>	Eastern Forest Bat	P
<i>Vespadelus regulus</i>	Southern Forest Bat	P
<i>Vespadelus troughtoni</i>	Eastern Cave Bat	V
<i>Vespadelus vulturinus</i>	Little Forest Bat	P
<i>Rhinolophus megaphyllus</i>	Eastern Horseshoe-bat	P
<i>Saccolaimus flaviventris</i>	Yellow-bellied Sheath-tail Bat	V
<i>Scoteanax rueppellii</i>	Greater Broad-nosed Bat	V
<i>Scotorepens greyii</i>	Little Broad-nosed Bat	P
<i>Scotorepens orion</i>	Eastern Broad-nosed Bat	P
<i>Dasyurus maculatus</i>	Spotted-tailed Quoll	V
<i>Dasyurus viverrinus</i>	Eastern Quoll	E1
<i>Isoodon macrourus</i>	Northern Brown Bandicoot	P
<i>Isoodon obesulus</i>	Southern Brown Bandicoot	E1
<i>Perameles nasuta</i>	Long-nosed Bandicoot	P
<i>Aepyprymnus rufescens</i>	Rufous Bettong	V
<i>Potorous tridactylus</i>	Long-nosed Potoroo	V
<i>Macropus giganteus</i>	Eastern Grey Kangaroo	P
<i>Macropus parma</i>	Parma Wallaby	V
<i>Macropus robustus</i>	Common Wallaroo	P
<i>Macropus rufogriseus</i>	Red-necked Wallaby	P
<i>Petrogale penicillata</i>	Brush-tailed Rock-wallaby	V
<i>Wallabia bicolor</i>	Swamp Wallaby	P
<i>Ornithorhynchus anatinus</i>	Platypus	P
<i>Tachyglossus aculeatus</i>	Short-beaked Echidna	P
<i>Petauroides volans</i>	Greater Glider	P
<i>Petaurus australis</i>	Yellow-bellied Glider	V
<i>Acrobates pygmaeus</i>	Feathertail Glider	P
<i>Petaurus breviceps</i>	Sugar Glider	P
<i>Petaurus norfolcensis</i>	Squirrel Glider	V
<i>Phascogale tapoatafa</i>	Brush-tailed Phascogale	V
<i>Pseudocheirus peregrinus</i>	Common Ringtail Possum	P
<i>Trichosurus caninus</i>	Mountain Brushtail Possum	P
<i>Trichosurus vulpecula</i>	Common Brushtail Possum	P
<i>Cercartetus nanus</i>	Eastern Pygmy-possum	P
<i>Phascolarctos cinereus</i>	Koala	V
<i>Vombatus ursinus</i>	Common Wombat	P
<i>Pteropus poliocephalus</i>	Grey-headed Flying-fox	P
<i>Pteropus scapulatus</i>	Little Red Flying-fox	P
<i>Rattus fuscipes</i>	Bush Rat	P
<i>Rattus lutreolus</i>	Swamp Rat	P
<i>Hydromys chrysogaster</i>	Water-rat	P
<i>Pseudomys gracilicaudatus</i>	Eastern Chestnut Mouse	V

<i>Pseudomys novaehollandiae</i>	New Holland Mouse	P
<i>Pseudomys oralis</i>	Hastings River Mouse	E1
<i>Sminthopsis murina</i>	Common Dunnart	P
<i>Melomys cervinipes</i>	Fawn-footed Melomys	P
<i>Planigale maculata</i>	Common Planigale	V
<i>Thylogale stigmatica</i>	Red-legged Pademelon	V
<i>Thylogale thetis</i>	Red-necked Pademelon	P

Marine Mammals

Scientific Name

Common Name

Status

<i>Eubalaena australis</i>	Southern Right Whale	V
<i>Megaptera novaeangliae</i>	Humpback Whale	V
<i>Physeter macrocephalus</i>	Sperm Whale	V
<i>Balaenoptera acutorostrata</i>	Minke Whale	P
<i>Globicephala macrorhynchus</i>	Short-finned Pilot Whale	P
<i>Kogia breviceps</i>	Pygmy Sperm Whale	P
<i>Lissodelphis peronii</i>	Southern Right Whale Dolphin	P
<i>Delphinus delphis</i>	Common Dolphin	P
<i>Grampus griseus</i>	Risso's Dolphin	P
<i>Stenella attenuata</i>	Spotted Dolphin	P
<i>Stenella coeruleoalba</i>	Striped Dolphin	P
<i>Tursiops truncatus</i>	Bottlenose Dolphin	P
<i>Arctocephalus forsteri</i>	New Zealand Fur-seal	P
<i>Arctocephalus pusillus</i>	Australian Fur-seal	P
<i>Arctocephalus tropicalis</i>	Subantarctic Fur-seal	P
<i>Hydrurga leptonyx</i>	Leopard Seal	P
<i>Neophoca cinerea</i>	Australian Sea-lion	P
<i>Dugong dugon</i>	Dugong	P

Introduced Mammals

Scientific Name

Common Name

Status

<i>Bos taurus</i>	Cattle (feral)	U
<i>Canis familiaris</i>	Dingo and Dog (feral)	U
<i>Capra hircus</i>	Goat (feral)	U
<i>Equus caballus</i>	Horse (feral)	U
<i>Felis catus</i>	Cat (feral)	U
<i>Lepus capensis</i>	Brown Hare	U
<i>Mus musculus</i>	House Mouse	U
<i>Oryctolagus cuniculus</i>	Rabbit	U
<i>Rattus norvegicus</i>	Brown Rat	U
<i>Rattus rattus</i>	Black Rat	U
<i>Sus scrofa</i>	Pig (feral)	U
<i>Vulpes vulpes</i>	Fox	U



CONTACTS

Organisation	Phone/Contact	Web Site
Australian Conservation Foundation (Central Coast)	4324 6458	www.acfonline.org.au
Australian Plant Society	4323 3986	www.austplants-nsw.org.au/
Australian Museum		www.cctcm.nsw.gov.au
Central Coast Community Environment Network	4349 4756	www.cccen.terrigan.net.au
Department of Land and Water Conservation	4324 3844 Infoline 1800353104	www.dlwc.nsw.gov.au
Environment Australia		www.environment.gov.au
Community Biodiversity Network		http://nccnsw.org.au/member/cbn
Environment Protection Authority Pollution Line	4323 9875 131 555	www.epa.nsw.gov.au
Gosford City Council	4325 8222	www.gosford.nsw.gov.au
Lower Hunter Central Coast Regional Environmental Management Strategy	4962 0966	www.lhccrems.nsw.gov.au
National Parks and Wildlife Service	4320 4200	www.nationalparks.nsw.gov.au
Lake Macquarie City Council	4921 0333	www.lakemac.com.au
Rumbalara Environmental Education Centre	4324 7200	www.rumbalara-e.schools.nsw.edu.au
Waterwatch	43 494757	www.streamwatch.org.au
Woy Woy Environment Centre 267 Blackwall Rd Woy Woy	Open daily 1-4pm	
Wyong Shire Council	4350 5555	www.wyong.nsw.gov.au

The Troubleshooter Guide

Caring for Animals

Injured Wildlife	Wildlife Information and Rescue Service (Wires) Phone 4323 2326
	Wildlife A.R.C. (Animal Rescue & Care Soc. Inc) Phone 0500 551 121
	RSPCA Phone 4372 2044
Roaming Dogs	Your Local Council (see below)
Injured Marine Animals	NPWS Phone 4320 4200
	ORRCA Phone 9415 3333
Fish Kills	EPA Phone 4323 9875
	Fisheries Phone 4332 2147
	or Fishers Watch Phone 1800 043 536
Licencing for Captive Wildlife	NPWS Phone 4320 4200

Protecting Our Plants

Illegal Land Clearing/Tree Removal	Your Local Council (see below)
Weeds invading Bushland	Your Local Council (see below)
Bush Fire	Local Fire Brigade Phone 000
Corridors/Land for Wildlife Protections	Your Local Council

People Problems

Local Vandalism	Your Local Council
Rubbish Dumping	Your Local Council
Abandoned Vehicles	Your Local Council
Illegal Burning Off	Your Local Council

Maintaining Our Waterways

Erosion/Sediment Control	Your Local Council
Pollution Incidents	EPA Pollution Line Phone 131 555 or Your Local Council
Damage to mangroves or wetlands	Dept of Land and Water Conservation (DLWC) Phone 4324 3844
Illegal Shellfish Harvesting	Fisheries Phone 4332 2147
Illegal Fishing	Fishers Watch Phone 1800 043 536


Your Local Councils

Gosford City Council - Phone 4325 8222
 Wyong Shire Council - Phone 4350 5555
 Lake Macquarie City Council - Phone 4921 0333

NEED HELP WITH IDENTIFYING YOUR FLORA AND FAUNA?


The Australian Museum would love to advise you.
 Phone 9329 6000 or www.austmus.gov.au

Or else see the helpful field guides recommended in the Reference section of the Diary



WEATHER


Average Daily Minimum and Maximum Temperatures for Wyong, Gosford and Lake Macquarie



Source: Bureau of Meteorology 2002


Note: Lake Macquarie weather data is sourced via Newcastle LGA weather stations

Average Monthly Rainfall for Wyong, Gosford and Lake Macquarie LGAs



Source: Bureau of Meteorology 2002

Note: Lake Macquarie weather data is sourced via Newcastle LGA weather stations



GLOSSARY

Aboriginal Cultural Heritage	Physical evidence of Aboriginal occupation including artifacts, scar trees, carvings, burial and ceremonial places; and non-physical aspects such as environmental knowledge, language, stories, songs, art, spiritual associations, beliefs and practices.
Acid Sulfate Soils	Soils containing highly acidic soil horizons or layers resulting from oxidation of soil materials that are rich in sulfides, primarily pyrite. This oxidation produces acidity in excess of the sediments capacity to neutralize the acidity resulting in soils of pH 4 or less.
Adaptive Management	A management approach that involves monitoring the outcomes of a project or issue and, on the basis of the monitoring, improving the way the project is managed.
Agro-forestry	Land management practice in which farmers cultivate trees in addition to their other agricultural activities.
Aquaculture	Farming of aquatic organisms including fish, mollusks, crustaceans and aquatic plants.
Aquatic ecosystems	All living and non-living elements of a water-based environment and the relationship between them.
Biodiversity	The variety of life forms, the different plants, animals and micro-organisms, the genes they contain and the ecosystems they form.
Biophysical	A word that jointly refers to the biological and physical elements of an environment.
Catchment	The area of land drained by a river and its tributaries.
Climate change	A consequence of warming of the Earth's atmosphere caused by increases in the atmosphere of certain gases. These gases absorb heat radiation emitted by the Earth, thereby retarding the loss of energy from the system.
Development Control Plan	Plans prepared to provide detail on particular policies for certain types of development or parts of an area. These must conform to the provisions of the relevant LEP or REP.
Dieback	A general term for a significant decline in tree health and numbers, especially native trees, caused by a variety of agents including insect attack, disease and pollution.
Discharge area	An area where groundwater seeps to the surface or waterway.
Drainage paths	Naturally defined pathways through which run-off flows. Generally used to describe drainage depressions, gullies, drainage lines, creeks and rivers.
Ecological footprint	A measure of direct and indirect consumption.
Ecological integrity	The general health and resilience of natural life support systems, including their ability to assimilate wastes and withstand stresses such as climate change and ozone depletion.
Ecologically Sustainable Development	Using, conserving and enhancing the community's natural resources so that ecological processes on which life depends are maintained and the total quality of life, now and in the future, can be increased. The four principles of ESD are: <ol style="list-style-type: none"> 1. The Precautionary principle 2. Intergenerational equity 3. Conservation of biological diversity and ecological integrity 4. Improved valuation, pricing and incentive mechanisms.

Endemic	Usually referring to plants or people peculiar to a particular area or 'locality'.
Ecosystem	Communities of organisms and their physical environment interacting as a unit.
Effluent	Liquid discharged from a sewage treatment plant after treatment.
Electrical conductivity	A widely used and convenient method of measuring the salinity of water.
Endangered Species	Those species that are likely to become extinct unless action is taken to remove the factors that threaten their survival.
Faecal Coliforms	Bacteria which inhabits the intestines of humans and other mammals, and are present in faeces. Their presence in water quality testing indicates faecal contamination of water and that other more serious pathogens may also be present.
Fragmentation (habitat/ ecosystem)	The division of natural areas by vegetation clearance for human land use, isolating the remnants and the species within them and limiting genetic flow.
Groundwater	Water beneath the surface held in or moving through saturated layers of soil, sediment or rock.
Gully erosion	The removal of soil by running water, resulting in the formation of channels sufficiently large enough that they disrupt normal farming operations.
Habitat	A place where a particular organism lives.
Hazard Reduction Burning	The deliberate burning of understorey by controlled fire kept at cooler temperatures to reduce ground fuel; part of forest management to reduce incidence of summer wild fires, thereby preventing damage to property, wildlife etc.
Indigenous Communities	Includes Aboriginal people of different tribal groups and languages, local Aboriginal Land Councils, traditional owner family groups, Aboriginal Corporations and individual community members.
Intergenerational Equity	The principle that the present generation should pass on to future generations an environment which is not impoverished and degraded, which will not reduce the quality of life for future generations.
Land Managers	Those who manage land, including farmers, graziers, irrigators, cultural and environmental landholders, councils and government agencies.
Landcare	Groups of people from the same area who join together to do things to benefit the environment. They are involved in activities as wide as erosion-control, planning, planting native vegetation and awareness raising. There are approximately 1000 Landcare groups in NSW.
Land degradation	The decline in condition or quality of the land as a consequence of misuse or overuse, involving changes to soil, flora, fauna, water quality and quantity, visual quality and production levels by humans.
Landscape	An area of land and all its physical features including all its physical features including geology, soils, vegetation, water, biology and land use.
Land system	An area or groups of areas with common patterns of soils, vegetation and topography.

Local Environmental Plan	Local environmental plans guide planning decisions for a local government area. They allocate land for particular purposes, generally through the use of zoning and development control, contain provisions to conserve local heritage and protect environmentally sensitive land, and reserve land to be acquired for public purposes. The plans can either cover the entire local government area or part of it.
Macro invertebrates	Animals without vertebrae (backbones) that can be seen without a microscope, and include muscles, limpets, water snails, worms, leeches, water spiders, water mites, crayfish, shrimps, beetles, bugs, insect larvae and nymphs.
Native vegetation	Locally endemic plant species.
Natural resources	The assets of land, water, plants and animals.
No net loss	Retention of at least the current overall amount and quality of a particular resource in a specific area.
pH	A measure of the degree of acidity or alkalinity; expressed on a logarithmic scale of 1 to 14: 1 is most acidic, 7 neutral and 14 most alkaline.
Potential Acid Sulfate Soil	Soils which contain iron sulfides or sulfidic material which have not been exposed to air and oxidized. The field pH of these soils in their unoxidised state is pH greater than four and maybe neutral or slightly alkaline.
Precautionary Principle	Where there are threats of serious or irreversible damage, scientific uncertainty shall not be used to postpone cost effective measures to prevent environmental degradation (from the Rio Declaration on Environment and Development).
Recharge	The portion of rainfall or river flow that percolates down through the soil and rock formations to reach the groundwater system.
Regional Environmental Plan	Regional environmental plans deal with issues that may transcend local government boundaries. Regional plans generally have wide scope and form. They can address issues such as land use distribution, transport corridors and protection of river catchments, and provide a framework for detailed local planning.
Remnant vegetation	A small fragmented portion of the former dominant vegetation which once covered the area before being cleared for human land use.
Rill erosion	Erosion in numerous small channels. A depth of 300mm may be used as a criterion to distinguish rills from gullies.
Riparian vegetation	Vegetation situated on or belonging to a river or a streambank.
Run-off	The portion of precipitation (rain, hail, snow) which flows across the ground surface as water; major agent of water erosion.
Salt concentration	Level of salts on the land surface or in soil, rocks or water.
Sedimentation	Material of varying size, both mineral and organic, deposited away from its site of origin by the action of water, wind, gravity or ice.
Seepage	The process by which water percolates downwards and / or laterally through the soil, often emerging at ground level lower down the slope.
Sheet erosion	The removal of a fairly uniform layer of soil from the land surface by raindrop splash and / or runoff.
Species	A group of organisms which are biologically capable of breeding and producing fertile offspring; the lowest taxonomic classification in use.


Sustainability	Managing our natural resources in a way that maintains their environmental, economic and cultural values, so that they continue to be available for future generations.
Terrestrial ecosystem	All living and non-living elements of a land-based environment and the relationship between them.
Threatened species	Species facing threatening processes such as extensive destruction of habitat; the process may threaten the survival, abundance or evolutionary development of the species.
Turbidity	A measure of the amount of suspended solids (usually fine clay or silt particles) in water light in the water.
Urban Water Sensitive Urban Design	A design approach that endeavours to highlight stormwater treatment and use as a primary urban design feature. Includes residential, commercial and industrial areas and activities.
Water table	The level below which the ground is saturated with water.
Wetlands	Land areas along fresh and salt watercourses that are flooded all or part of the time, leading to the development of a characteristic suite of plant and animal communities and determining the type and productivity of soils.



Abbreviations

AEE	Association of Environmental Education
ASS	Acid Sulfate Soil
CCEN	Central Coast Community Environment Network
CCCMB	Central Coast Catchment Management Board
CCRVC	Central Coast Regional Vegetation Committee
CCURMC	Central Coast Unregulated Rivers Management Committee
COSS	Coastal Open Space System
CSIRO	Commonwealth Scientific and Industrial Research Organisation
DCP	Development Control Plans
DLG	Department of Local Government
DLWC	Department of Land & Water Conservation
DMR	Department of Mineral Resources
EPA	Environmental Protection Authority NSW
ESD	Ecologically Sustainable Development
GCC	Gosford City Council
GWJWA	Gosford Wyong Joint Water Authority
KMMGMC	Kulnura Mangrove Mountain Groundwater Management Committee
LALC	Local Aboriginal Land Council
LEP	Local Environment Plan
LHCCREMS	Lower Hunter Central Coast Regional Environmental Management Strategy
LMCC	Lake Macquarie City Council
NPWS	National Parks & Wildlife Service
NREM	Natural Resource and Environmental Management
NSWAg	Nsw Agriculture
REEC	Rumbalara Environmental Education Centre
RTA	Roads & Traffic Authority
SF	State Forests of NSW
SOE	State of the Environment Report
WA	Waterways Authority
WSC	Wyong Shire Council
WSUD	Water Sensitive Urban Design





Useful references:

Seasonal approach...

Blay, J. 1994. **The Australian Native Plant Gardener's Almanac**, Southwood Press, Marrickville

Edmanson, Jane. 1992 **Working Manual for Gardeners**, Lothan Books, Port Melbourne

Note: A month-by-month guide to practical tasks to do in the garden

Lieth, Helmut (ed). **Phenology and Seasonality Modelling**, Chapman & Hall Ltd, London

Reid, Alan 1995 **Banksias and Bilbies: Seasons of Australia**, Gould League of Victoria

Seale, Allan. 1991 **Gardener's Calendar**, Treasure Press Australia

Smith, M. 1994 **Bush Mates: A guide to the wildlife of Nelson Bay** Self-published.

White, G. 1994 **The Natural History and Antiquities of Selbourne** Folio Society, London

Birds

Kingsford, R. 1991 **Australian Waterbirds: A Field Guide**, Kangaroo Press Pty Ltd, Kenthurst

Notes: *Waterbirds: useful and light-weight guide for work in creeks and swamps, easy to use, with description, distribution, habitat, colour photographs.*

Morcombe, M. 2000 **A Field Guide to Australian Birds**. Steve Parish Publications, Archerfield, Qld

Schodde R. & Tideman S. 1990 **Reader's Digest Complete Book of Australian Birds**

Reader's Digest, Sydney

Simpson, K. and Day, N. 1996 **Field Guide to the Birds of Australia**, A book of Identification 5th edition, Penguin Books, Ringwood

Notes: *Use for identification and the attached handbook is useful for beginners.*

Slater, P., Slater, P. and Slater, R. 1996 **The Slater Field Guide to Australian Birds**, Weldon, Sydney

The G Pizzey & Knight **Field Guide to the Birds of Australia**, Harper Collins Publishing.

Invertebrates

Fisher, R. 1995 **A Field Guide to Australian Butterflies**, Surrey Beatty & Sons, Chipping Norton, NSW

Harvey, M.S. and Yen, A.L. 1989 **Worms to Wasps**, Oxford University Press, Melbourne

Hawking, J.H. & Smith, F.J. 1997 **Colour Guide to Invertebrates of Australian Inland Water** CRC for freshwater Ecology, Murray-Darling Freshwater Research Centre

Simon-Brunet, B. 1996 **Spiderwatch: A Guide to Australian Spiders**, Reed Books, Port Melbourne

Moulds, M. S. 1990 **Australian Cicadas**, UNSW Press, Kensington

New, T.R. 1996 **Name that Insect: A guide to the insects of South-Eastern Australia**, Oxford University Press, Melbourne.

Zborowski, P and Storey, R. **A Field Guide to Insects in Australia**, Reed Books, Port Melbourne

Mammals

Churchill, S 1998 **Australian Bats** Reed, New Holland Pty Ltd

Menkhorst, P and Knight, F. 2001 **A Field Guide to the Mammals of Australia**, Oxford University Press, Melbourne.

Strahan, R. 1995 **The Mammals of Australia**, Australian Museum/Reed Books, Chatswood

Smith, A. and Winter, J. 1997 **A Key and Field Guide to Australian Possums, Gliders and Koalas**, Surrey, Beatty & Sons

Triggs, B. 1996 **Tracks, Scats and Other Traces: a field guide to Australian Mammals**, Oxford University Press, Melbourne

Plants

Benson, D H and Howell, J, 1990 **Taken for Granted: the bushland of Sydney and its suburbs**, Kangaroo Press, Kenthurst, NSW

Bishop, A. 1996 **Field Guide to the Orchids of New South Wales and Victoria**, UNSW Press, Sydney

Bradley J. 2000 **Bringing Back the Bush** Lansdowne. The Rocks

Carolin, R. 1991 **Beach Plants of South East Australia**, Sainty & Associates, Potts Point
Notes: *Coastal plants: useful for common plants on dunes.*

Costermans, L. 1983 **Native Trees and Shrubs of South-eastern Australia**, 2nd edition, Rigby, Adelaide

Notes: *A simple guide to most of the larger native plants with colour photographs and a brief introduction to their ecology.*

Cronin, L. 1989 **Key Guide to Australian Ferns, Palms and Allies**, Reed Books, Sydney

Debenham C. **The Language of Botany** The Society for Growing Australian Plants

Edgar, G.J. 2000 **Australian Marine Life – Revised Edition - The Plants and Animals of Temperate Waters** Reed New Holland

Enwhistle, T.J., Sonneman, A. & Lewis, S.H. 1997 **Freshwater Algae in Australia** Sainty & Associates, Darlinghurst, NSW

Fairley A. & Moore P. 1995 **Native Plants of the Sydney District** Kangaroo Press. Kenthurst

Floyd, A.G. 1989 **Rainforest Trees of Mainland South-eastern Australia**, Inkata Press, Sydney
Notes: *Rainforest trees: with 385 species this text is comprehensive for rainforest trees.*

Low T. 1989 **Bush Tucker -Australia's Wild Food Harvest** Angus and Robertson. Sydney

Mitchell, M. 1996 **Native Grasses: Identification Handbook for Temperate Australia**, Agmedia, East Melbourne.

Muyt A. 2001 **Bush Invaders of South East Australia** R.G. and F.J. Richardson. Victoria

Nicholson Nan & Hugh 1996 **Australian Rainforest Plants I,II, III, IV.** Terania Rainforest Publishing. The Channon, NSW

Parsons, W.T. & Cuthbertson, E.G. **Noxious Weeds of Australia** 2nd Edition CSIRO Publishing

Robinson, L. 1994 **Field Guide to the Native Plants of Sydney**, Kangaroo Press, Kenthurst

Sainty, G.R. & Jacobs, S.W.L. 1981 **Water Plants of New South Wales** Sainty & Associates, Darlinghurst, NSW

Tame, T. 1992 **Acacias of South-eastern Australia** Kangaroo Press

Young, A.M. 1982 **Common Australian Fungi** New South Wales University Press

Wheeler, D.J.B, Jacobs, S.W.L and Norton, B.E. 1990 **Grasses of New South Wales**; 2nd Edition, University of New England, Armidale

Williams J.B., Harden G.J. & McDonald W. J.F. 1984 **Trees and Shrubs in Rainforests of NSW and Queensland.** University of New England Printery, Armidale.

C.D. ROM Fungimap 1.1 Sep 2001 Royal Botanic Gardens. Melbourne.

Reptiles and Frogs

Barker, J.T., Grigg, G. and Tyler, M. 1995 **A Field Guide to Australian Frogs**, Surrey Beatty & Sons Pty Ltd.
Notes: *Illustrates and describes the frogs of Australia, covers all of the 200 or so frog species found in Australia. Descriptions, photographs, distributions. Line drawings of anatomical details.*

Cogger, H.G. 1996 **Reptiles and Amphibians of Australia**, Reed Books, 22 Salmon St, Port Melbourne 3207

Griffiths, K. 1997 **Frogs and Reptiles of the Sydney Region**, University of NSW Press, PO Box 1, Kensington, 2033

Notes: *For identification for the Sydney region, especially for beginners.*

Hoser R.T.T 1989 **Australian Reptiles and Frogs**. Pierson & Co. Mosman

Swan, G. 1990 **A Field Guide to the Snakes and Lizards of New South Wales**, A Three Sisters Publication, PO Box 104, Winmalee, NSW, 2777

Notes: *A pocket sized guide containing descriptions and studio photographs of all the species. A list of references but no key.*

Frog calls

CD Frogs of SE Australia

Grigg, G.C. and Barker, J. 1973 **Frog Calls of south-Eastern Australia**, University of Queensland

Nature Sound CDs www.naturesound.com.au Note: Has a great range

Fish and other Marine Life

Allen, S.R., Midgley, S.H. & Allen, M. **Field Guide to the Freshwater Fishes of Australia** Western Australian Museum CSIRO Publishing

Davey, K. **A Photographic Guide to Seashore Life of Australia** New Holland Publishers

Hutchins, B. & Swainston, R. 1986 **Sea Fishes of Southern Australia** Swainston Publishing Perth

Kuiter, R. 2000 **Coastal Fishes of S.E. Australia** Publisher Gary Allen Smithfield

Specialised reports on flora and fauna

Morris, A. K. Editor 2002 **Central Coast Bird Report for 1999**, Central Coast Group, Birding NSW

Payne, R. 1993 **A Proposal for the Protection of Rainforest Remnants in the Gosford & Wyong Areas**, NSW National Parks Association, Sydney

Bushwalking Guides

Blomfield, J. **Hawkesbury to Hunter – Coastal Walking** Publisher Killcare Wagstaffe Trust

Collier, B. 2000 **Discovering the Central Coast** Envirobook Annandale

Daly, J. & L. Take a Walk in a National Park – Sydney to Port Macquarie RRP \$25

Elder, B. 1993 **Day Trips Around Sydney, A daytrippers Guide to 200 km Around Sydney** Lothian Publication Company, Victoria

Fairley, A. 1974 **Along the Track – A Guide to Bushland around Sydney**

Levis, C. & Savage, C. 2001 **4WD Tracks Close to Sydney** Boiling Billy Publications Marrickville

A summary of PLANT observations for the year 2002

NAME OF PLANTS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEPT	OCT	NOV	DEC
Angophora hispida	—										—	—
Angophora costata	⋯	←	←	←	←	←	←	←	←	←	←	←
Bottlebrush								Flowering period →				
Callistemon linearis									—			
C.sieberi				—								
Banksia integrifolia				—								
B.serrata	—											—
B.spinulosa				—								
B.ericifolia				—								
Boronia ledifolia							—					
Correa reflexa						—						
Crocea saligna	—											

A partially completed summary sheet might look like this.

In this example events are shown as a line. You may like to include other events such as periods of heavy leaf fall, seed maturity etc in different colours and labelling.

On the birds summary sheet the lines may indicate when the birds are present or when they are breeding. For frogs it may be when they call.

Common names are often sufficient for birds but plants are best identified by their scientific names.

Atlas of NSW Wildlife

The Atlas of NSW Wildlife is a computer database containing locality records of fauna and flora species occurring within New South Wales. The system is administered by the National Parks and Wildlife Service (NPWS), however, anyone can submit information to the database using the Field Data sheets available from NPWS.

The system is used as a tool for both land and species management, at either a localised or state-wide level.

Information gathered assists land managers in making informed decisions and provides essential information for the ongoing management and conservation of our unique flora and fauna.

The value of the Atlas of NSW Wildlife depends upon the quality and extent of the data. A wide spread of records for a species, both geographically and temporally, is needed if we are to understand the species' needs and hence conserve it.

We encourage all interested people to use the system and to submit their observations and records for inclusion.

For copies of the Field Data Book or lodging records contact:

NSW National Parks and Wildlife Service
Atlas of NSW Wildlife
PO Box 1967
HURSTVILLE NSW 2220

